



240022 V-80 DOBLE PARED

FICHA DE SISTEMA / SYSTEM DATASHEET / FICHE TECHNIQUE DU SYSTÈME / FICHA DE DADOS DO SISTEMA

313144 LAMA AL V-80 DOBLEPARED

313142 LAMA AL V-80 MONOPARED



Datos técnicos

Technical parameters / Paramètres techniques / Dados técnicos


Material Matière	AL. 6063T5
Lamas por metro de altura Necessary slats per height meter / Nombre de lames au mètre Lâminas por metro de altura	12,5
Superficie de cobertura (mm) Surface coverage / Surface de couverture	80
Eje mínimo de enrollamiento Ø (mm) Minimum rolling shaft / Axe minimal d'enroulement Eixo mínimo de enrolamento	133
Resistencia al viento (Clase) UNE - EN 13241:2004 Wind resistance / Résistance au vent / Resistência ao vento	2
Dimensiones máximas recomendadas Recommended maximum dimensions / Dimensions maximales recommandées / Dimensões máximas recomendadas	5,50
Peso m ² aprox. Weight per m2 / Poids m ² approximatif	11,9 Kg / m ²
Guía ensayada Tested guide / Coulisse testée	GS - 130
Guías Compatibles Compatible guides / Coulisses compatibles	SE - 55 GS - 100 GSR - 66 GEM - 65 PRM. 80X80 PRM. 105X80

■ **Perfil**

Profiles / Profils / Perfis

313142 AL V-80 MONOPARED

Single - skin slat / Lame Monoparoi



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	2.0
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	800
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	344

313144 AL V-80 DOBLEPARED


Doble - skin slat / Lame Doble paroi



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	1.6
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	878
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	436

313118 REMATE

End slat / Lame finale




Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	1.5
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	1355
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	662

■ **Guía ensayada (Monopared)**

Tested guide / Coulisse testée


360026 GOMA REMATE

End slat rubber / Joint lame finale



Material Matière	EPDM
----------------------------	-------------

308205 GUÍA AL GS-130




Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	3.0
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	2439
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	686

■ **Guía ensayada (Doblepared)**

Tested guide / Coulisse testée

308209 AL GA -95




Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	2.0
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	1300
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	534

■ **Goma recomendada**


Compatible rubber / Joint compatible

360021 GOMA AUTOBLOCANTE BLANDA 4mm



Material Matière	EPDM
----------------------------	-------------


ID	CÓDIGO Code / Código	ARTÍCULOS Articles
1	313144	LAMA DOBLEPARED / Slat /Lame
2	313142	LAMA MONOPARED / Slat /Lame
3	313118	REMATE / End slat / Lame finale
4	160307	JGO. TAPÓN LATERAL / Pair of end caps of slat / Jeu bouchon lame
5	460026	GOMA REMATE / End slat rubber / Joint lame finale
6	160344	TIRANTE FLEJE / Iron Spring / Attache métallique
7	111880	TORNILLO 3,9 x 25 mm / Screw 3,5 x19 (P103925) / Vis 3,5 x 19 (P103925)



■ Troquelado

Punched / Ajourée

313146 TROQUELADO 85 (MONOPARED)




Peso lama troquelada (g / m)	696
Weight / Poids	
Peso kg. / m ²	7,29
Weight / Poids	

■ Tirantes

Spring / Attache


160344 TIRANTE FLEJE



■ Tapones compatibles

Compatible end caps / Bouchons compatibles

160307 TAPÓN LATERAL V-80 DOBLEPARED




Material	PA-6
Matière	
Peso (g)	14
Weight / Poids	

■ Alturas máximas por tipo de cajón (mm)

Maximum heights (Box / sistem) / Hauteurs maximales (Coffre / système) / Alturas máximas (Gaveta / sistema)

Altura (mm) (AT) / Height / Hauteur	EXBOX				ALUMINIO PRF		
	300	350	400	450	300	350	400
Eje Ø 133 / Shaft / Axe / Eixo	1500	2600	4200	4200	2200	2600	--
Eje Ø 220 / Shaft / Axe / Eixo	--	2000	3200	3200	--	2000	4500
Eje Ø 240 / Shaft / Axe / Eixo	--	--	--	--	--	--	3600


Las medidas pueden variar dependiendo del tamaño de eje y paño, se incluye cajón y terminal / Measurements may vary depending on shaft and shutter size, and they include the box and the end slat / Les dimensions peuvent varier en fonction de la dimension de l'axe et du tablier, et incluent coffre et lame finale. / As medidas podem variar dependendo do tamanho do eixo e do pano, e inclui caixa e terminal.




■ **Cajones aluminio extrusión**

Extruded aluminium boxes / Coffres aluminium extrudé / Caixas alumínio extruído


EXBOX 450




EXBOX 400



EXBOX 350




EXBOX 300




■ **Cajones aluminio perfilado**

Aluminium Boxes / Coffres aluminium profilé / Caixas alumínio perfilado

332007 ALUMINIO PERFILADO 400



332191 ALUMINIO PERFILADO 350



332006 ALUMINIO PERFILADO 300

