

240030 VS-300 BLOCK 95

FICHA DE SISTEMA / SYSTEM DATASHEET / FICHE TECHNIQUE DU SYSTÈME / FICHA DE DADOS DO SISTEMA

313192 LAMA AL VS-300 BLOCK 95

313058 LAMA AL VS-300 BLOCK 95 MONOPARED



Datos técnicos


Technical parameters / Paramètres techniques / Dados técnicos

Material Matière	AL. 6063T5
Lamas por metro de altura Necessary slats per height meter / Nombre de lames au mètre Lâminas por metro de altura	8,69
Superficie de cobertura + Varilla de unión (mm) Surface coverage with middle slat / Surface de couvrir avec lame intermédiaire	115,07
Eje mínimo de enrollamiento Ø (mm) Minimum rolling shaft / Axe minimal d'enroulement Eixo mínimo de enrolamento	133
Resistencia al viento (Clase) UNE - EN 13241:2004 Wind resistance / Résistance au vent / Resistência ao vento	2
Dimensiones máximas recomendadas Recommended maximum dimensions / Dimensions maximales recommandées / Dimensões máximas recomendadas	4,50
Peso m ² aprox. Weight per m2 / Poids m2 approximatif	12,8 Kg / m ²
Incremento peso + 30% (Lamas + Varillas unión) para motor Weight increased + 30% (Union slats + slats) for motor Augmentation poids + 30 %	3,67 Kg / m ²
Guía ensayada Tested guide / Coulisse testée	GS - 130
Guías Compatibles Compatible guides / Coulisses compatibles	GEM - 75 GSO - 105 PREMARCO 105X80

■ **Perfiles VS - 300 Block 95**
 Profiles / Profils / Perfis

313192 LAMA DOBLE PARED


Double - skin slat / Lame Double-paroi



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	1.5
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	1121
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	517

313058 LAMA MONOPARED

Single - skin slat / Lame monoparoi



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	1.84
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	1135
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	414

313196 VARILLA UNIÓN


Middle slat / Lame intermédiaire



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	2.0
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	308
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	116

313030 REMATE


End slat / Lame finale / Remate



Material Matière	Auminio 6063T5
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal	1.5
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear	955
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total	469

360026 GOMA REMATE

End slat rubber / Joint lame finale




Material Matière	EPDM
---------------------	------

■ Guía ensayada

Tested guide / Coulisse testée.


308205 GUÍA AL GS-130



■ Guías Compatibles

Compatible guides / Coulisses compatibles.

360021 GOMA AUTOBLOCANTE BLANDA 4mm




Material Matière	Auminio 6063T5	Material Matière	PA
Espesor aprox. (mm) Approx. thickness/ Épaisseur approx. / Grossura nominal			
	3.0		
Peso m. lineal (g) Linear m. weight / Poids m. linéaire / Peso linear			
	2248		
Perímetro total (mm) Total perimeter / Périmètre total / Perímetro total			
	686		

■ Componentes

Componentes / Composants


ID	CÓDIGO Code	ARTÍCULOS Articles
1	313192	LAMA DOBLEPARED / Double-skin slat /Lame Double-Paroi
2	313058	LAMA MONOPARED / Single-skin slat /Lame Monoparoi
3	313030	REMATE / End slat / Lame finale
4	313196	VARILLA DE UNIÓN / Middle slat / Lame finale
5	160356	JGO. TAPÓN LATERAL / Pair of end caps of slat / Jeu bouchon lame
6	360006	GOMA REMATE / End slat rubber / Joint lame finale
7	160349	TIRANTE ACERO REVESTIDO / Iron Spring / Attache acier
8	111917	TORNILLO 5,5 x 38 mm DIN 7982 / Screw / Vis
9	111880	TORNILLO 3,9 x 25 mm P103925 / Screw / Vis



■ Troquelado

Punched / Ajourée

313194 AL VS-300 BLOCK 95



Peso lama troquelada (g / m)

Weight / Poids

806

Peso kg. / m²


Weight / Poids

9,68

■ Tapones compatibles

Compatible end caps / Bouchons compatibles

160356 TAPÓN LATERAL VS-300 BLOCK 95



Material

Material / Matière / Material

NYLON

Peso (g)


Weight / Poids / Peso

14

■ Metacrilato

Methacrylate / Méthacrylate

VS - 300 BLOCK 95 METACRILATO



Peso metacrilato (g / m)


Weight / Poids

226

■ Tirantes

Spring / Attache

160349 TIRANTE ACERO REVESTIDO




■ Alturas máximas por tipo de cajón (mm)

Maximum heights (Box / sistem) / Hauteurs maximales (Coffre / système) / Alturas máximas (Gaveta / sistema)

Altura (mm) (AT) / Height / Hauteur	EXBOX			ALUMINIO PRF			ESCUADRAS
	300	350	400	300	350	400	400
Eje Ø 133 / Shaft / Axe / Eixo	1600	3000	4600	2600	3600	4600	5000


Las medidas pueden variar dependiendo del tamaño de eje y paño, se incluye cajón y terminal / Measurements may vary depending on shaft and shutter size, and they include the box and the end slat / Les dimensions peuvent varier en fonction de la dimension de l'axe et du tablier, et incluent coffre et lame finale. / As medidas podem variar dependendo do tamanho do eixo e do pano, e inclui caixa e terminal.




■ Cajones aluminio extrusión

Extruded aluminium boxes / Coffres aluminium extrudé / Caixas alumínio extruido


EXBOX 400



EXBOX 350




EXBOX 300




■ Cajones aluminio perfilado

Aluminium Boxes / Coffres aluminium profilé / Caixas alumínio perfilado


332007 ALUMINIO PERFILADO 400



332191 ALUMINIO PERFILADO 350



332006 ALUMINIO PERFILADO 300



332005 ALUMINIO PERFILADO 250

